


2014



2014 1 1 2014 12 31

	.....	4
	.....	4
	.....	6
	.....	6
	.....	7
2014	.....	8
	.....	8
	.....	8
	.....	9
	.....	9
	.....	12
	.....	13
	.....	18
	.....	19
	.....	19
	.....	20
	.....	21
	.....	21
	.....	22
	.....	23



2014 12 31

12.85

110

2012

120%


500

A 500

2014

2014

LED



1

2

13

2

1

2014

10

6

4

34

2

2014

2013

2014

2013

2014

2014

5

12

1

1

3

5

2

2

3

2014

5

10

1 ,

2014

3

[2013]43

(2014 1

)

2

9 2013

2013

9 2014 3

3

2013 2014

5 2013-2014

4

2014

**2014**

1

2014

8

300

3

,

2014 6 19

1

2



1

“ ”


2014

3

4

2014

12997




2



3



5





10



9



11

AAA

AA

,

1



12

2014

21

2



13

2014

G+

1



+

+360

14

2014


500

3

7 24

2014
6
8
2

400



4

2012

12

2014

20



16

”

”

LED

5

2014

2014

96.9%

91.45

100

16

88.61 2014 100%

2014

2013 7%  
6

ISO90001 ISO14001 OHSAS18001 ISO 10012 TSG Z0004-2007

2014

BIT Business  
Initiative Directions, BID



QC 2014  
8

17 “ ”

11 ( ISO9001 ISO/TS16949 ISO14001  
OHSAS18001 ISO10012( ) ISO17025(CNAS )



(CE UL )

18 QC

, CNAS ILAC

2014

		2014
	96%	97%
	96%	99%
	96%	98%
	99.99%	99.99%

2014

0.06%

2013

0.01%

2014

1

8

0

2014

2

<.0ED<>Pen-U\$2014

16

6

17

10 16



19



20 “ ”

1

FMS

50%

LES

GPS

LED

LED

2

50%

99%

96%

99%

70%

2014

2013

2014



21

PPT

6 10

10 25

30

12 28



22

12 30



21

96333

2014 4

860,000 8

200,000 9 SEE 100,000

11 290,000

11 12

23,636.1 20,000

2014 198

10 26

91

2014



22

9188.2

3.8

1

17

6 12

23

6

76

76

19,485